



## PHDR01/P - Lincat Phoenix Dual Fuel Propane Gas Free-standing Oven Range - 6-Zone - W 900 mm - 36 kW [Gas] - 6 kW [Electric]

The high quality Phoenix dual fuel oven range offers power, durability, and excellent value for money.

- ✔ Powerful 6kW burners - the pan will heat up quicker, speeding up processes such as boiling and sautéing, achieving a caramelised colour faster
- ✔ Fully pressed hob - Simpler and quicker to clean
- ✔ Twin heavy-duty cast iron supports, built to withstand the rigours of the busiest kitchen
- ✔ Low flue, hob top accommodates larger pans
- ✔ Powerful 6kW twin fan assisted oven for more even cooking. Large 4 x GN1/1 capacity enabling four different foods to be cooked simultaneously
- ✔ 2 shelves and 5 shelf positions maximise oven space
- ✔ Castors supplied as standard, not as a chargeable extra

### Specifications

#### Summary

<b>Brand</b>	Lincat
<b>Range</b>	Phoenix
<b>Power Type</b>	Dual Fuel
<b>Gas Type</b>	Propane Gas
<b>Unit Type</b>	Free-standing
<b>Available in UK Only</b>	No
<b>UK Warranty</b>	2 Years Parts and Labour Warranty
<b>Export Warranty</b>	Contact your local dealer
<b>GTIN</b>	5056105121398

#### Power and Performance

<b>BTU per Hour</b>	122,832
<b>Temperature Range °C</b>	40 - 250
<b>IP Rating</b>	IPX4
<b>Temperature Control</b>	Mechanical
<b>Rating per Hob kW</b>	6
<b>Oven Rating kW</b>	6

#### Key Specifications

<b>Number of Shelves included</b>	2
<b>Number of Shelf Positions</b>	5
<b>Number of Hobs</b>	6

#### Capacity

<b>Gastronorm Capacity</b>	4 x GN1/1
----------------------------	-----------

#### Weights and Dimensions

<b>Unit Height (External) mm</b>	900
<b>Unit Width (External) mm</b>	900
<b>Unit Depth (External) mm</b>	800
<b>Height (Internal) mm</b>	400
<b>Width (Internal) mm</b>	715
<b>Depth (Internal) mm</b>	530
<b>Shelf Dimensions Width mm</b>	710
<b>Shelf Dimensions Depth mm</b>	512
<b>Net Weight Kg</b>	125

#### Supply Connections

<b>Requires Installation</b>	Yes
<b>Requires Electrical Supply</b>	Yes
<b>UK 3 Pin Plug</b>	No
<b>Requires Hardwiring</b>	Yes
<b>Electrical Supply Rating Watts</b>	6000
<b>Single Phase Amps</b>	26.1
<b>Single Phase Voltage</b>	230
<b>Three Phase Amps</b>	L1=8.7; L2=8.7; L3=8.7
<b>Three Phase Voltage</b>	400
<b>Gas Connection BSP</b>	3/4"
<b>Gas Consumption at full rate Propane m³ per Hour</b>	2.58
<b>Gas Pressure Propane mbar</b>	37
<b>Total heat input at full rate Propane kW</b>	36
<b>Total heat input at full rate Propane BTU per hour</b>	122,832


**Shipping**

Packed Weight Kg	137.5
Packed Height cm	105
Packed Width cm	100
Packed Depth cm	85

**Available Accessories**

LK12	NULL
OA8902	SPLASHBACK/SHELF - 0G8002

**Technical Picture**





**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm