



F49/622/B - IMC Ventus VR60 Glass Froster [Front Load] - Full Front Glass Door - Black Painted Frame - H 800 mm - W 600 mm

Designed to frost glasses and chill liqueurs, the VR60 can help commercial bars enhance the appearance of drinks and keep them colder for longer.

- ✓ Full front door for seamless integration
- ✓ Reduced 800mm height
- ✓ Wide range of options available to customise your glass froster, ensure a perfect fit in any bar
- ✓ Chills and frosts glasses, to enhance the taste and appearance of drinks
- ✓ Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times
- ✓ Rapid chill to -10°C to keep drinks colder for longer
- ✓ Energy efficient EcoSmart controller - at the touch of a button, put the glass froster into its most economical state until next required
- ✓ Efficient design means up to 50 pint glasses can be chilled at the same time
- ✓ Front loading design ensures fast and easy access to ice cold glasses
- ✓ Stylish black painted exterior to suit any commercial bar setting
- ✓ UK 3 pin plug - simply plug in and switch on

Specifications

Summary

| | |
|-----------------------------|-----------------------------------|
| Brand | IMC |
| Range | Ventus |
| Power Type | Electric |
| Unit Type | Free-standing |
| Available in UK Only | No |
| UK Warranty | 2 Years Parts and Labour Warranty |
| Export Warranty | Contact your local dealer |
| GTIN | 5056105197119 |

Power and Performance

| | |
|-----------------------------|--------------|
| Total Power kW | 0.667 |
| Temperature Range °C | -10 constant |
| IP Rating | IPX1 |
| Temperature Control | Electronic |

Key Specifications

| | |
|-----------------------------------|-------------------|
| Door Hinge | Right |
| Door Location | Front |
| Lockable Door | No |
| Colour | Black Painted |
| Number of Doors | 1 |
| Door Type | Full front, glass |
| Number of Shelves included | 2 |
| Number of Shelf Positions | 29 |
| Refrigerant Type | R404a |
| Type of Lighting | LED |

Capacity

| | |
|-------------------------|--------------------|
| Capacity Glasses | 50 x standard pint |
| Capacity Litres | 108 |

Weights and Dimensions

| | |
|---------------------------|-----|
| Unit Height (External) mm | 800 |
| Unit Width (External) mm | 600 |
| Unit Depth (External) mm | 500 |
| Height (Internal) mm | 655 |
| Width (Internal) mm | 526 |
| Depth (Internal) mm | 377 |
| Shelf Dimensions Width mm | 510 |
| Shelf Dimensions Depth mm | 373 |
| Net Weight Kg | 0 |

Supply Connections

| | |
|--------------------------------|------|
| Requires Installation | No |
| Requires Electrical Supply | Yes |
| UK 3 Pin Plug | Yes |
| Requires Hardwiring | No |
| Electrical Supply Rating Watts | 667 |
| Single Phase Amps | 2.90 |
| Single Phase Voltage | 240 |

Shipping

| | |
|------------------|-----|
| Packed Weight Kg | 0 |
| Packed Height cm | 108 |
| Packed Width cm | 67 |
| Packed Depth cm | 59 |

Available Options

Door Type

| | |
|--------|---|
| VS1018 | VS1018 - Change to Solid Door |
| VS1020 | VS1018 - Change to Left Hinged Glass Door |
| VS1023 | VS1023 - Change to Left Hinged Solid Door |
| VS769 | VS769 - Change to Right Hinged Cladded Door |
| VS775 | VS775 - Change to Left Hinged Cladded Door |

Lighting

| | |
|-------|------------------------------------|
| VS852 | VS852 - Change to Red LED Lights |
| VS853 | VS853 - Change to Green LED Lights |
| VS854 | VS854 - Change to Blue LED Lights |

Shelving Type

| | |
|-------|---------------------------------------|
| VS359 | VS359 - Change to Wine Shelving |
| VS399 | VS399 - Change to Perforated Shelving |

EU Plug

| | |
|-------|---------------------------|
| VS401 | VS401 - Change to EU Plug |
|-------|---------------------------|

De-Gassed

| | |
|--------|------------------------------------|
| VS1017 | VS1017 - De-Gassed for Air Freight |
|--------|------------------------------------|



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm